

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Trade name : **5W30 C3**
 Product code : HU6090

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Consumer use
 Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Autobacs France
 254 ter, boulevard du Havre
 95480 Pierrelaye - France
 Tél. : + 33(0) 1 75 72 02 60
 www.autobacs.fr

1.4. Emergency telephone number

France	ORFILA +33 1 45 42 59 59
--------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic Not classified

Full text of H statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	25 - 50	Asp. Tox. 1, H304

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	5 - 20	Asp. Tox. 1, H304
Mineral oil*		2,5 - 10	Asp. Tox. 1, H304
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	(CAS-No.) 125643-61-0 (EC-No.) 406-040-9 (EC Index-No.) 607-530-00-7 (REACH-no) 01-0000015551-76, 01-2119864287-27, 01-2119878226-29, 01-2119879226-29	1 - 5	Aquatic Chronic 4, H413
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (Impurity, Impurity, Impurity)	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (EC Index-No.) 604-092-00-9 (REACH-no) 01-2119513207-49	< 0,1	Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
2,6-di-tert-butyl-p-cresol	(CAS-No.) 128-37-0 (EC-No.) 204-881-4 (REACH-no) 01-2119555270-46, 01-2119565113-46	< 0,1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.
- First-aid measures after inhalation : Allow affected person to breathe fresh air. If symptoms persist, call a physician.
- First-aid measures after skin contact : Remove contaminated clothing. Wash with plenty of water/.... Seek medical attention if ill effect or irritation develops.
- First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Contact ophthalmologist immediately.
- First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : Symptoms may include dizziness, headache, nausea and loss of coordination.
- Symptoms/effects after skin contact : Prolonged or repeated contact with the skin may cause dermatitis. Skin rash/inflammation. Redness. Itching.
- Symptoms/effects after eye contact : May cause slight irritation. Redness. Pain.
- Symptoms/effects after ingestion : Aspiration of this material may cause chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Sand. AFFF foam. Water spray. Carbon dioxide.
- Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

- Reactivity in case of fire : On burning: release of harmful/irritant gases/vapours. Carbon oxides (CO, CO2).
- Hazardous decomposition products in case of fire : On incomplete combustion releases : fume, Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulphur oxides, Organic compounds, Aldehydes.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment. Exercise caution when fighting any chemical fire.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Concerning personal protective equipment to use, see section 8. Wear suitable protective clothing and gloves.
- Emergency procedures : Evacuate unnecessary personnel. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Provide adequate ventilation.

6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing and gloves. Avoid breathing Aerosols, Vapours. Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area. Clean up any spills as soon as possible, using an absorbent material to collect it. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Collect all waste in suitable and labelled containers and dispose according to local legislation.
- Other information : May be dangerously slippery if spilled.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. For disposal of residues refer to section 13 : Disposal considerations" "

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Keep away from sources of ignition - No smoking. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke in areas where product is used.
- Hygiene measures : Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep away from sources of ignition - No smoking. Store in original container. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep container tightly closed. Keep container closed when not in use.
- Heat and ignition sources : No flames, no sparks. Eliminate all sources of ignition.
- Information on mixed storage : Oxidation agents.
- Storage area : Store away from heat. Floors should be impervious, resistant to liquids and easy to clean.
- Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2,6-di-tert-butyl-p-cresol (128-37-0)		
United Kingdom	Local name	2,6-Di-tert-butyl-p-cresol
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	30 mg/m ³

8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Materials for protective clothing : Separate working clothes from town clothes. Launder separately
- Hand protection : Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Time of penetration is to be checked with the glove producer
- Eye protection : Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles

Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Avoid the formation of mists in the atmosphere. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. respirator with combination filter for vapour/particles
Other information	: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -42 °C (= Pour Point) [ASTM D5950]
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 180 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0,85 [D 20/4]
Solubility	: Water: Not miscible or Slightly miscible
Log Pow	: No data available
Viscosity, kinematic	: 73 cSt (40 °C) 11,9 cSt (100 °C) [ASTM D7279]
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

All heat sources, including direct sunlight. Sparks. Open flame.

10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong bases.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

LD50 oral rat	> 5000 mg/kg (OECD 420 method)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
LC50 inhalation rat (mg/l)	> 5,53 mg/l/4h (mg/L air, aerosol) (OECD 403 method)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

LD50 oral rat	> 5000 mg/kg (OECD 401 method)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
LC50 inhalation rat (mg/l)	> 5000 mg/m ³ (4h) (OECD 403 method)

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

LD50 oral rat	> 2000 mg/kg (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)

2,6-di-tert-butyl-p-cresol (128-37-0)

LD50 oral rat	> 2930 mg/kg (OECD 401 method)
LD50 dermal rat	> 5000 mg/kg (OECD 402 method)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)

NOAEL (chronic, oral, animal/male, 2 years)	5 mg/kg bodyweight
---	--------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)

NOAEL (oral, rat)	5 mg/kg bodyweight
-------------------	--------------------

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

5W30 C3

Viscosity, kinematic	73 mm ² /s (40 °C) 11,9 cSt (100 °C) [ASTM D7279]
----------------------	--

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not classified as dangerous preparation/substance. Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

LC50 fish 1	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
EC50 Daphnia 1	> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)
EC50 Daphnia 2	> 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)
NOEC (acute)	>= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)
NOEC chronic fish	>= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)
NOEC chronic crustacea	10 mg/l (Daphnia magna, 21d) (OECD 211 method)

Mineral oil*

LC50 fish 1	> 100 mg/l (Pimephales promelas, 4 DY)
EC50 Daphnia 1	> 10000 mg/l (Cladocère; 2 DY)
ErC50 (algae)	> 100 mg/l (Algue verte, 3jrs)
NOEC chronic crustacea	> 10 mg/l (Cladocère, 21 DY)

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

LC50 fish 1	> 100 mg/l (Oncorhynchus mykiss, 14d) (OECD 204 method)
LC50 other aquatic organisms 1	> 74 mg/l Danio rerio (zebra fish), 96h
EC50 Daphnia 1	> 100 mg/l (Daphnia magna, 48h) (OECD 202 method)
NOEC (acute)	>= 3 mg/l (Desmodesmus subspicatus, 72h) (OECD 201 method)
NOEC chronic fish	>= 0,001 mg/l (Danio rerio, 36d) (OECD 210 method)

NOEC chronic crustacea	>= 1 mg/l (Daphnia magna, 21d) (OECD 211 method)
2,6-di-tert-butyl-p-cresol (128-37-0)	
LC50 fish 1	> 0,57 mg/l (Danio rerio, 96h) [EU Method C.1]
EC50 Daphnia 1	> 0,17 mg/l (Daphnia magna, 48h) (OECD 202 method)
ErC50 (algae)	0,5 mg/l (DESMODESMUS SUBSPICATUS; 72h)
NOEC (chronic)	> 0,39 mg/l (Daphnia, 21d) (OECD 202 method)

12.2. Persistence and degradability

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-54-7)

Biodegradation 31 % (28d) (OECD 301F method)

Mineral oil*

Biodegradation 31 % (28DY; OECD TG 301 B)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Persistence and degradability Inherently biodegradable.

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Persistence and degradability Not readily biodegradable.

2,6-di-tert-butyl-p-cresol (128-37-0)

Biodegradation 30 % (OECD 302C method)

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Bioaccumulative potential Potentially bioaccumulable.

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Bioconcentration factor (BCF REACH) 260 (Oncorhynchus mykiss, 35d) (OECD 305 method)

Log Pow 9,2

2,6-di-tert-butyl-p-cresol (128-37-0)

BCF fish 1 230 - 2500 mg/l (Cyprinus carpio, 56d, 25°C, [0.05 mg/l])

Log Pow 5,1

12.4. Mobility in soil

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Ecology - soil Floats on water. Insoluble in water.

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Ecology - soil Product adsorbs little onto the soil.

12.5. Results of PBT and vPvB assessment

Component

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0) This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Do not discharge the product into the environment. Do not flush into surface water or sewer system

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Do not discharge into drains or the environment. Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code : 13 02 00 - waste engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
No dangerous good in sense of transport regulations.(ADR, RID, IMDG, IATA)				
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) : No

Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

	Revision date	Modified	
	Supersedes	Added	
2	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Removed	

Training advice : Not to be used for any purpose other than the one the product was designed for.

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Aquatic Chronic Not classified	Hazardous to the aquatic environment - Chronic Hazard Not classified
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 29/05/2019

Supersedes 14/06/2016

Version: 3.0

Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Aquatic Chronic Not classified	Expert judgment
--------------------------------	-----------------

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.